

Reliable network and security capabilities rolled into one

# Kaspersky SD-WAN



#### SASE

Secure Access Service Edge (SASE) stands for network and security services synergy, which aims to provide agile and reliable networks, while shift left from different security solutions to unified security available from private or public clouds. The whole company network is secured, regardless of where your users are or how they connect to it.

#### Introduction

Kaspersky SD-WAN is designed to build fault-tolerant and secure networks with unified management – essential for today's distributed businesses. The solution helps to protect your business continuity, enhances productivity and, therefore, supports you to easily achieve your digital transformation goals. Kaspersky SD-WAN is an essential step in building unified security on top of a reliable distributed network. With Kaspersky SD-WAN you can easily integrate security services and start to build SASE now.

## Kaspersky SD-WAN is a business-focused solution



Use any available communication channels, including MPLS VPN, Ethernet, LTE, or any combination of them to connect new locations



Integrated security capabilities and real-time monitoring of all solution components, including DPI analysis to track the state of tunnels and applications



Zero Touch Provisioning connects branches to the corporate network without additional configuration – saving valuable staff time



Centralized management through a single web interface or API to quickly change solution settings and monitor a SD-WAN network of any size




Link management features and adherence to predefined SLAs for efficient performance of business-critical applications



Virtual Network Functions manager for easy deployment of Kaspersky's and third-party vendors' security tools

#### Solution architecture



#### **Core components**

The versatile architecture of Kaspersky SD-WAN supports the entire lifecycle of the solution, including centralized orchestration, automatic configuration, and monitoring.

| SD-WAN orchestrator                             | Software component that manages SD-WAN controllers and controls the virtual infrastructure manager. The SD-WAN orchestrator provides a unified graphical interface and API interfaces for interaction with all solution components. It also collects, stores, and visualizes information on the state of the SD-WAN network, runs templates, assigns the settings of service chains, provides virtualization and control of resources, and manages licenses |  |
|---|---|--|
| SD-WAN controller                               | Software component that manages the SD-WAN CPE. The SD-WAN controller is responsible f managing traffic, exchanging routing information, and configuring the security policies and secrettings of communication channels  |  |
| Virtual infrastructure manager (VIM)            | Third-party software responsible for configuring and managing the virtual infrastructure.  OpenStack VIM is used by default in Kaspersky SD-WAN   |  |
| Virtual network functions manager (VNF manager) | Software component that manages the lifecycle of virtual network functions. The VNF manager controls the installation, activation, scaling, updating and termination of virtual network functions   |  |
| SD-WAN gateway                                  | Network equipment deployed in the data center or HQ that aggregates SD-WAN tunnels. It is recommended to deploy SD-WAN gateways as a fault-tolerant pair  |  |
| CPE   | Customer premises equipment situated at branches for connecting communication channels  |  |

and setting up tunnels to the SD-WAN gateway

## Kaspersky SD-WAN capabilities

| Capability                       | Description  On-premise Clouds (private or public)  |  |  |
|----------------------------------|---|--|--|
| Deployment                       |   |  |  |
| Virtual Network Functions (VNFs) | <ul> <li>ETSI MANO</li> <li>VNF support (Kaspersky as well as third-party vendors' products)</li> <li>Service-chain lifecycle management</li> </ul>   |  |  |
| CPE types                        | <ul> <li>Servers</li> <li>Virtual CPE</li> <li>Universal CPE (x86, ARM 64)</li> <li>Light-CPE (x86, ARM v8/64, MIPS)</li> </ul>   |  |  |
| Management                       | <ul> <li>Centralized management of CPE software versions and Kaspersky SD-WAN central components</li> <li>Out-of-Band management for CPE (through underlay network without customer's tunnels)</li> </ul> |  |  |
| SD-Branch                        | <ul> <li>LAN segmentation</li> <li>Local services (Wi-Fi, DHCP and etc.)</li> <li>Local internet access</li> <li>VNF support for Universal CPE (uCPE)</li> </ul>  |  |  |
| Supported communication channels | <ul><li>4G</li><li>MPLS</li><li>Ethernet</li><li>PPPoE</li></ul>  |  |  |
| Supported network topologies     | <ul><li>Full mesh</li><li>Partial mesh</li><li>Hub-and-Spoke</li></ul>  |  |  |
| Zero Touch Provisioning          | <ul> <li>DHCP</li> <li>Static</li> <li>Two-factor authentication support</li> <li>URL Auth</li> </ul>   |  |  |
| VPN/Overlay                      | <ul> <li>L2 Point-to-Point</li> <li>Point-to-Multipoint</li> <li>Multipoint-to-Multipoint</li> <li>L3 VPN</li> </ul>  |  |  |
| Fault tolerance and redundancy   | <ul> <li>High-availability cluster of central components</li> <li>SD-WAN gateways redundancy (active/active)</li> <li>CPE redundancy (VRRP)</li> </ul>  |  |  |
| LAN segmentation                 | Full 802.1q support for CPE LAN-ports (Access, Trunk, Q-in-Q)   |  |  |

| Routing                                | <ul> <li>Static</li> <li>BGP</li> <li>OSPF</li> <li>BFD</li> <li>PIM</li> <li>NAT (PAT, SNAT, DNAT)</li> <li>VRF Lite</li> <li>Multicast service support for SD-WAN network</li> <li>Path MTU discovery support</li> </ul>                  |
|--|---|
| WAN load balancing and fault tolerance | <ul><li>Active/Standby</li><li>Active/Active</li><li>Bonding</li></ul>  |
| Channel quality control                | <ul> <li>SLA assessment based on traffic active probes</li> <li>BFD</li> </ul>  |
| Channel optimization                   | <ul><li>FEC</li><li>Packet Duplication</li></ul>  |
| Quality of Service (QoS)               | <ul> <li>Multilayer QoS</li> <li>8 queues per virtual service</li> <li>DSCP support</li> <li>SLA assessment (loss, jitter and delay)</li> <li>QoS remapping support for CPE WAN interfaces</li> <li>Policing and shaping support</li> </ul> |
| L7 traffic routing                     | <ul> <li>Built-in DPI</li> <li>Application aware routing</li> <li>Application SLA</li> </ul>  |
| Security                               | <ul> <li>Stateful Firewall</li> <li>Built-in High-Speed Encryption support</li> <li>Encryption configuration per channel</li> </ul>   |
| Monitoring                             | <ul> <li>Monitoring of central components, CPEs, VNF</li> <li>Network Test Access Point (TAP)</li> <li>NetFlow</li> </ul>   |

### Licensing

Kaspersky SD-WAN is available in two tiers: Standard and Advanced.




Provides the tools for setting up and managing the network, and supports SD-WAN services and integration of Kaspersky products as virtual network functions.



Provides extended capabilities for virtual network functions, including those of third-party vendors, and includes Multicast and Multi-Tenancy support for services.

Each tier is licensing by CPE based on specific throughput. You can choose our recommended models from the Kaspersky SD-WAN Edge Service Router (KESR) line with various interfaces and performance.



## **KESR** model line specifications

| Model        | Throughput | Key specifications   | SKU        |
|--------------|------------|--|------------|
| KESR Model 2 | 150 Mb/s   | <ul> <li>4 × Core CPU</li> <li>4 × LAN</li> <li>2 × Combo Ports</li> <li>2 × SFP+</li> <li>2 × LTE</li> <li>1 × Wi-Fi</li> </ul> | KESR-M2-GI |
| KESR Model 3 | 300 Mb/s   | <ul> <li>8 × Core CPU</li> <li>4 × LAN</li> <li>2 × Combo Ports</li> <li>2 × SFP+</li> <li>2 × LTE</li> <li>1 × Wi-Fi</li> </ul> | KESR-M3-GI |



## Kaspersky SD-WAN

Learn more